

## Table ENG-6. - Sanitary Facilities

Pulaski County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
1C:							
Berks	50	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
		Slope	0.37	Slope	0.37	Slope	0.37
Gilpin	40	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
1D:							
Berks	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
Gilpin	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
1F:							
Berks	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
Gilpin	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
2B:							
Braddock	90	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
2C:							
Braddock	90	Very limited Too clayey Slope	1.00 0.37	Somewhat limited Slope	0.37	Very limited Too clayey Slope	1.00 0.37
2D:							
Braddock	90	Very limited Slope Too clayey	1.00 1.00	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 1.00

# Table ENG-6. - Sanitary Facilities - Continued

Pulaski County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
3B:							
Braddock	60	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
Urban land	35	Not Rated		Not Rated		Not Rated	
4C:							
Carbo	85	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 0.37	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 0.37
4D:							
Carbo	85	Very limited Slope Depth to bedrock Too clayey	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 1.00
5C:							
Carbo	85	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 0.37	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 0.37
5D:							
Carbo	85	Very limited Slope Depth to bedrock Too clayey	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 1.00
6E:							
Carbo	60	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 1.00
Rock outcrop	30	Not Rated		Not Rated		Not Rated	
7A:							
Cotaco	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.86
7B:							
Cotaco	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.86
7C:							

**Table ENG-6. - Sanitary Facilities - Continued**

Pulaski County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
7C:							
Cotaco	85	Very limited		Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.86
		Slope	0.37	Slope	0.37	Slope	0.37
8:							
Dunning	90	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Too clayey	0.50				
9:							
Fluvaquents	90	Not Rated		Not Rated		Not Rated	
10B:							
Frederick	90	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
10C:							
Frederick	90	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
10D:							
Frederick	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
11C:							
Gilpin	50	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
Lily	40	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
		Slope	0.37	Slope	0.37	Slope	0.37
11D:							
Gilpin	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50

# Table ENG-6. - Sanitary Facilities - Continued

Pulaski County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
11D:							
Lily	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
11F:							
Gilpin	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
Lily	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
12B:							
Groseclose	60	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
Urban land	35	Not Rated		Not Rated		Not Rated	
12C:							
Groseclose	60	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
Urban land	35	Not Rated		Not Rated		Not Rated	
13B:							
Groseclose	45	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
Poplimento	45	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
13C:							
Groseclose	45	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
Poplimento	45	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
13D:							
Groseclose	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00

# Table ENG-6. - Sanitary Facilities - Continued

Pulaski County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
13D:							
Poplimento	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
14C:							
Klinesville	55	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Slope	0.37	Gravel content	1.00
		Slope	0.37			Seepage	0.50
Berks	35	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
		Slope	0.37	Slope	0.37	Slope	0.37
14F:							
Klinesville	55	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00			Gravel content	1.00
Berks	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
15C:							
Leck Kill	60	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Seepage	1.00	Too clayey	0.50
		Too clayey	0.50	Slope	0.37	Slope	0.37
		Slope	0.37			Seepage	0.21
Rayne	30	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.37	Slope	0.37	Slope	0.37
15D:							
Leck Kill	60	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Too clayey	0.50
		Too clayey	0.50			Seepage	0.21
Rayne	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
16D:							
Lily	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50

**Table ENG-6. - Sanitary Facilities - Continued**

Pulaski County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
16D:							
Ramsey	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00			Seepage	1.00
16F:							
Lily	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
Ramsey	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00			Seepage	1.00
17:							
Lindside	55	Very limited		Very limited		Somewhat limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	0.68
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
		Seepage	1.00	Seepage	1.00		
Nolin	35	Very limited		Very limited		Not limited	
		Flooding	1.00	Flooding	1.00		
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
		Seepage	1.00	Seepage	1.00		
Dunning	3	Not Rated		Not Rated		Not Rated	
18B:							
Lodi	90	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
18C:							
Lodi	90	Very limited Too clayey	1.00	Somewhat limited Slope	0.37	Very limited Too clayey	1.00
		Slope	0.37			Slope	0.37
18D:							
Lodi	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Too clayey	1.00			Too clayey	1.00
19C:							
Lodi	90	Very limited Too clayey	1.00	Somewhat limited Slope	0.37	Very limited Too clayey	1.00
		Slope	0.37			Slope	0.37

**Table ENG-6. - Sanitary Facilities - Continued**

Pulaski County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
19D:							
Lodi	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
20B:							
Lowell	90	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
20C:							
Lowell	90	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
20D:							
Lowell	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
21B:							
Lowell	60	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
Urban land	35	Not Rated		Not Rated		Not Rated	
21C:							
Lowell	60	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
Urban land	35	Not Rated		Not Rated		Not Rated	
22C:							
Monongahela	90	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to thick cemented pan	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.68
		Slope	0.37	Slope	0.37	Slope	0.37
22D:							
Monongahela	90	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to thick cemented pan	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.68
23:							

## Table ENG-6. - Sanitary Facilities - Continued

Pulaski County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
23:							
Newark variant	95	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	zone	
Dunning	3	Not Rated		Not Rated		Not Rated	
24C:							
Nolichucky	95	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.37	Slope	0.37	Slope	0.37
						Gravel content	0.04
24D:							
Nolichucky	95	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
						Gravel content	0.04
25C:							
Nolichucky	95	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.37	Slope	0.37	Gravel content	0.45
						Slope	0.37
25D:							
Nolichucky	95	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
						Gravel content	0.45
25F:							
Nolichucky	95	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
						Gravel content	0.45
26F:							
Ramsey	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00			Seepage	1.00
Lily	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
Rock outcrop	15	Not Rated		Not Rated		Not Rated	
27C:							
Rayne	90	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.37	Slope	0.37	Slope	0.37

**Table ENG-6. - Sanitary Facilities - Continued**

Pulaski County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
27D:							
Rayne	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
27E:							
Rayne	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
28F:							
Rayne	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Berks	25	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope Gravel content	1.00 1.00 1.00
Groseclose	20	Very limited Slope Too clayey	1.00 1.00	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 1.00
29F:							
Rock outcrop	50	Not Rated		Not Rated		Not Rated	
Newbern	25	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00
Carbo	20	Very limited Slope Depth to bedrock Too clayey	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 1.00
Fluvaquent	3	Not Rated		Not Rated		Not Rated	
30C:							
Sherando	100	Very limited Seepage Content of large stones	1.00 0.02	Very limited Seepage	1.00	Somewhat limited Seepage Content of large stones Gravel content	0.50 0.02 0.01
31F:							
Sherando	100	Very limited Slope Seepage Content of large stones	1.00 1.00 0.02	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage Content of large stones	1.00 0.50 0.02
32B:							

# Table ENG-6. - Sanitary Facilities - Continued

Pulaski County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
32B:							
Slabtown	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.68
32C:							
Slabtown	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.68
		Slope	0.37	Slope	0.37	Slope	0.37
33:							
Urban land	100	Not Rated		Not Rated		Not Rated	
34:							
Wheeling	95	Very limited Seepage	1.00	Not limited		Not limited	
35C:							
Wurno	35	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Slope	0.37	Slope	0.37	Gravel content	0.98
						Slope	0.37
Newbern	30	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Slope	0.37	Slope	0.37	Slope	0.37
Faywood	25	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
35D:							
Wurno	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	0.98
Newbern	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
Faywood	25	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
35E:							

**Table ENG-6. - Sanitary Facilities - Continued**

Pulaski County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
35E:							
Wurno	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	0.98
Newbern	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
Faywood	25	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
36:							
Zoar	85	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Depth to saturated zone	0.75	Too clayey	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	0.86
W:							
Water	100	Not Rated		Not Rated		Not Rated	